	Application No.	Applicant(s)
Notice of Allowability	00/400 400	ABBUTED MATERIAL O INIO
	09/138,429 Examiner	APPLIED MATERIALS, INC. Art Unit
		1-1-
	Julian Mercado	1745
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in thi or other appropriate communic IGHTS. This application is subj	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to <u>3-16-07</u> .		
2. The allowed claim(s) is/are <u>21-50 and 54-62</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:).
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMI es reason(s) why the oath or de	NER'S AMENDMENT or NOTICE OF claration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in t	he Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the d he header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		and Budget A c. H "
1. Notice of References Cited (PTO-892)	_	nal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sumn Paper No./Mai	nary (PTO-413), I Date
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Am	endment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Sta	tement of Reasons for Allowance
	9.	

DETAILED ACTION

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Charles Guenzer on June 8, 2007.

The application has been amended as follows:

1. In claim 61 at line 1, "The method of claim 41" has been changed to -- The apparatus of claim 41--.

Remarks

This Office action is responsive to applicant's amendment filed on March 16, 2007. Claims 21-50 and 54-62 are pending.

Claim Rejections - 35 USC § 103

The rejection of claims 21, 22, 24, 31-36, 39-50 and 54-57 under 35 U.S.C. 103(a) based on Nakagawa et al. (U.S. Pat. 4,865,709) and Miyata (U.S. Pat. 5,519,373) has been withdrawn.

Art Unit: 1745

The rejection of claims 23, 25-30, 37 and 38 under 35 U.S.C. 103(a) based on Nakagawa et al. (U.S. Pat. 4,865,709), Miyata (U.S. Pat. 5,519,373) and Boys et al. (U.S. Pat. 4,500,409) has been withdrawn.

In withdrawing the above cited ground of rejection(s), applicant's arguments filed with the present amendment have been fully considered and are deemed persuasive. The examiner concedes with applicant's assertion that Nakagawa et al. employs a plurality of substrates having adjacent permanent magnets, while Miyata uses a single substrate surrounded by an annular magnet array. As Miyata's single annular magnet array is centered on a single substrate, the magnet array around the plurality of substrates (arranged linearly) of Nakagawa et al. (see Figure 2) would conceivably result in a non-uniform magnetic field across the outermost substrates. Alternatively, the examiner concedes with applicant's assertion that a plurality of annular magnet arrays arranged around each of the plurality of substrates in Nakagawa et al. would conceivably result in the superimposed magnetic fields to be non-uniform. It is clear that a non-uniform magnetic field is contrary to the objectives of both Nakagawa et al. and Miyata, thus, the combined teachings of the references as previously applied towards the present claims has been withdrawn.

Allowable Subject Matter

Claims 21-50 and 54-62 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or suggest the claimed invention regarding a flatter and more parallel magnetic field adjacent the substrate surface than that adjacent a target surface, the magnetic field being

Application/Control Number: 09/138,429

Art Unit: 1745

generated by a magnet array concentrically disposed around a perimeter of the surface of the substrate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian Mercado whose telephone number is (571) 272-1289. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan, can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1745

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

PATRICK JOSEPH RYAN SUPERVISORY PATENT EXAMINED